


Jase Cannabis Infused Beverage Mix

METRC Sample: 1A406030000A4C8000000020; METRC Batch: 1A406030000A928000000017

Sample ID: 2001ELB0143.0326	Created: 01/31/2020	Distributor	Cultivator/Manufacturer
Strain: NA	Collected: 02/03/2020	Echo Distribution INC	ECHO Distribution Inc.
Matrix: Ingestible	Received: 02/03/2020	Lic. # C11-0000971-LIC	Lic. # CDPH-10003314
Type: Other	Completed: 02/11/2020	241 Lathrop Way Ste B	241 Lathrop Way Suite B. Sacramento, CA
Sample Size: 13 units; Batch: 2,400 units	Batch#: NA	Sacramento, CA 95815	95815

	0.639 mg/g	ND	0.689 mg/g
	Total THC	Total CBD	Total Cannabinoids
Pass <i>0.34 aw</i>	NT	Pass	
Water Activity	Moisture	Foreign Matter	

Safety

Batch Status: Pass

Pass Pesticides	Pass Microbials	Pass Mycotoxins	Pass Solvents	Pass Metals	Pass Foreign Matter
---------------------------	---------------------------	---------------------------	-------------------------	-----------------------	-------------------------------

Cannabinoids

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	Mass
	%	%	%	mg/g	mg/serving	mg/container
THCa	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
Δ9-THC	0.0002	0.0006	0.0639	0.639	9.543	9.543
Δ8-THC	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
THCVa	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
THCV	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
CBDa	0.0001	0.0006	<LOQ	<LOQ	N/A	N/A
CBD	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
CBDV	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
CBN	0.0002	0.0006	0.0031	0.031	0.466	0.466
CBGa	0.0003	0.0006	<LOQ	<LOQ	N/A	N/A
CBG	0.0002	0.0006	0.0019	0.019	0.284	0.284
CBC	0.0002	0.0006	<LOQ	<LOQ	N/A	N/A
Total THC			0.0639	0.639	9.543	9.543
Total CBD			NaN	NaN	NaN	NaN
Total			0.0689	0.689	10.293	10.293

Moisture

Date Tested:

Equipment Used: Shimadzu MOC63U; EVIO SOPT.40.010. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13).

Foreign Matter

Date Tested: 02/04/2020

Equipment Used: Stereo Microscope SH-2B/T; EVIO SOPT.40.013

Water Activity

Date Tested: 02/06/2020

Equipment Used: Rotronic HC2-AW; EVIO SOPT.40.011.CA. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13).


1 Unit = One packet drink mix = 14.93g

Potency Date Tested: 02/07/2020

Total CBD = (CBDa x 0.877) + CBD, Total THC = (THCa x 0.877) + Δ9-THC

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NaN = Not a Number. Cured plant material reported as moisture-corrected % dry weight, other sample types reported 'as is'. Analytical Instrumentation: Shimadzu Nexera HPLC. EVIO SOPT.30.050.CA, SOPT.40.023.CA. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13).




Ian Riversong
Lab Director
02/11/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-0000067-LIC

Jase Cannabis Infused Beverage Mix

METRC Sample: 1A406030000A4C8000000020; METRC Batch: 1A406030000A928000000017

Sample ID: 2001ELB0143.0326	Created: 01/31/2020	Distributor	Cultivator/Manufacturer
Strain: NA	Collected: 02/03/2020	Echo Distribution INC	ECHO Distribution Inc.
Matrix: Ingestible	Received: 02/03/2020	Lic. # C11-0000971-LIC	Lic. # CDPH-10003314
Type: Other	Completed: 02/11/2020	241 Lathrop Way Ste B	241 Lathrop Way Suite B. Sacramento, CA
Sample Size: 13 units; Batch: 2,400 units	Batch#: NA	Sacramento, CA 95815	95815


Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.025	0.08	0.3	ND	Pass	Fludioxonil	0.025	0.075	30	ND	Pass
Acephate	0.025	0.075	5	ND	Pass	Hexythiazox	0.025	0.075	2	ND	Pass
Acequinocyl	0.025	0.075	4	ND	Pass	Imazalil	0.025	0.075	0.025	ND	Pass
Acetamiprid	0.025	0.075	0.5	ND	Pass	Imidacloprid	0.025	0.075	3	ND	Pass
Aldicarb	0.025	0.075	0.025	ND	Pass	Kresoxim Methyl	0.025	0.075	1	ND	Pass
Azoxystrobin	0.025	0.075	40	ND	Pass	Malathion	0.025	0.075	5	ND	Pass
Bifenazate	0.025	0.075	5	ND	Pass	Metalaxyl	0.025	0.075	15	ND	Pass
Bifenthrin	0.025	0.075	0.5	ND	Pass	Methiocarb	0.025	0.075	0.025	ND	Pass
Boscalid	0.025	0.075	10	ND	Pass	Methomyl	0.025	0.075	0.1	ND	Pass
Captan	0.035	0.116	5	ND	Pass	Methyl Parathion	0.025	0.075	0.025	ND	Pass
Carbaryl	0.025	0.075	0.5	ND	Pass	Mevinphos	0.025	0.075	0.025	ND	Pass
Carbofuran	0.025	0.075	0.025	ND	Pass	Myclobutanil	0.025	0.075	9	ND	Pass
Chlorantraniliprole	0.025	0.075	40	ND	Pass	Naled	0.025	0.075	0.5	ND	Pass
Chlordane	0.025	0.075	0.025	ND	Pass	Oxamyl	0.025	0.075	0.2	ND	Pass
Chlorfenapyr	0.025	0.075	0.025	ND	Pass	Pacllobutrazol	0.025	0.075	0.025	ND	Pass
Chlorpyrifos	0.025	0.075	0.025	ND	Pass	Pentachloronitrobenzene	0.025	0.075	0.2	ND	Pass
Clofentezine	0.025	0.075	0.5	ND	Pass	Permethrin	0.025	0.075	20	ND	Pass
Coumaphos	0.025	0.075	0.025	ND	Pass	Phosmet	0.025	0.075	0.2	ND	Pass
Cyfluthrin	0.064	0.21	1	ND	Pass	Piperonyl Butoxide	0.025	0.075	8	ND	Pass
Cypermethrin	0.025	0.075	1	ND	Pass	Prallethrin	0.025	0.075	0.4	ND	Pass
Daminozide	0.025	0.075	0.025	ND	Pass	Propiconazole	0.025	0.075	20	ND	Pass
Diazinon	0.025	0.075	0.2	ND	Pass	Propoxur	0.025	0.075	0.025	ND	Pass
Dichlorvos	0.025	0.075	0.025	ND	Pass	Pyrethrins	0.025	0.075	1	ND	Pass
Dimethoate	0.025	0.075	0.025	ND	Pass	Pyridaben	0.025	0.075	3	ND	Pass
Dimethomorph	0.025	0.075	20	ND	Pass	Spinetoram	0.025	0.075	3	ND	Pass
Ethoprophos	0.025	0.075	0.025	ND	Pass	Spinosad	0.025	0.075	3	ND	Pass
Etofenprox	0.025	0.075	0.025	ND	Pass	Spiromesifen	0.025	0.075	12	ND	Pass
Etoxazole	0.025	0.075	1.5	ND	Pass	Spirotetramat	0.025	0.075	13	ND	Pass
Fenhexamid	0.025	0.075	10	ND	Pass	Spiroxamine	0.025	0.075	0.025	ND	Pass
Fenoxycarb	0.025	0.075	0.025	ND	Pass	Tebuconazole	0.025	0.075	2	ND	Pass
Fenpyroximate	0.025	0.075	2	ND	Pass	Thiacloprid	0.025	0.075	0.025	ND	Pass
Fipronil	0.025	0.075	0.025	ND	Pass	Thiamethoxam	0.025	0.075	4.5	ND	Pass
Fonicamid	0.025	0.075	2	ND	Pass	Trifloxystrobin	0.025	0.075	30	ND	Pass

Date Tested: 02/04/2020
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND - Not Detected; The reported result is based on as-is sample mass, e.g., wet-weight; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOP.T.40.05.1.CA




Ian Riversong
Lab Director
02/11/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-0000067-LIC

Jase Cannabis Infused Beverage Mix

METRC Sample: 1A406030000A4C8000000020; METRC Batch: 1A406030000A928000000017

Sample ID: 2001ELB0143.0326	Created: 01/31/2020	Distributor	Cultivator/Manufacturer
Strain: NA	Collected: 02/03/2020	Echo Distribution INC	ECHO Distribution Inc.
Matrix: Ingestible	Received: 02/03/2020	Lic. # C11-0000971-LIC	Lic. # CDPH-10003314
Type: Other	Completed: 02/11/2020	241 Lathrop Way Ste B	241 Lathrop Way Suite B. Sacramento, CA
Sample Size: 13 units; Batch: 2,400 units	Batch#: NA	Sacramento, CA 95815	95815

Residual Solvents


Analyte	LOD	LOQ	Limit	Concentration	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.08	0.25	1	ND	Pass
Benzene	0.03	0.12	1	ND	Pass
Chloroform	0.11	0.37	1	ND	Pass
Ethylene Oxide	0.12	0.41	1	ND	Pass
Methylene-Chloride	0.66	0.75	1	ND	Pass
Trichloroethene	0.4	0.4	1	ND	Pass
Acetone	5.46	36	5000	ND	Pass
Acetonitrile	0.41	1.37	410	ND	Pass
Butane	41.96	230.4	5000	ND	Pass
Ethanol	6.39	48	5000	ND	Pass
Ethyl-Acetate	2.61	19.2	5000	ND	Pass
Ethyl-Ether	3.19	10.51	5000	ND	Pass
Heptane	2.99	24	5000	ND	Pass
Hexanes	0.31	1.03	290	ND	Pass
Isopropanol	3.3	24	5000	ND	Pass
Methanol	2.76	9.12	3000	ND	Pass
Pentane	6.29	36	5000	ND	Pass
Propane	7.93	26.16	5000	ND	Pass
Toluene	0.98	3.24	890	ND	Pass
Xylenes	1.04	1.04	2170	ND	Pass



Date Tested: 02/06/2020

LOD=Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on nominal sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu QP2020 GCMS; EVIO SOPT.40.031.CA




Ian Riversong
Lab Director
02/11/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley
1200 5th St.
Berkeley, CA 94710

(510) 356-4248
eviolabs.com/
Lic# C8-0000067-LIC

Jase Cannabis Infused Beverage Mix

METRC Sample: 1A406030000A4C8000000020; METRC Batch: 1A406030000A928000000017

Sample ID: 2001ELB0143.0326	Created: 01/31/2020	Distributor	Cultivator/Manufacturer
Strain: NA	Collected: 02/03/2020	Echo Distribution INC	ECHO Distribution Inc.
Matrix: Ingestible	Received: 02/03/2020	Lic. # C11-0000971-LIC	Lic. # CDPH-10003314
Type: Other	Completed: 02/11/2020	241 Lathrop Way Ste B	241 Lathrop Way Suite B. Sacramento, CA
Sample Size: 13 units; Batch: 2,400 units	Batch#: NA	Sacramento, CA 95815	95815

Microbials

Pass

Analyte	Result
Aspergillus	None Detected in 1g
Aspergillus flavus	None Detected in 1g
Aspergillus fumigatus	None Detected in 1g
Aspergillus niger	None Detected in 1g
Aspergillus terreus	None Detected in 1g
Shiga toxin-producing E. Coli	None Detected in 1g
Salmonella SPP	None Detected in 1g

Date Tested: 02/05/2020

NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: BIO-RAD QPCR CFX96; EVIO SOPT.40.043

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Total Aflatoxins	4.4	14.6	20	ND	Pass
Aflatoxin B1	2	8		ND	Tested
Aflatoxin B2	4	15		ND	Tested
Aflatoxin G1	4	12		ND	Tested
Aflatoxin G2	4	14		ND	Tested
Ochratoxin A	4.5	14.8	20	ND	Pass

Date Tested: 02/04/2020

LOD - Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOPT.40.051.CA

Heavy Metals


Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.003	0.05	1.5	ND	Pass
Cadmium	0.003	0.05	0.5	<LOQ	Pass
Lead	0.007	0.05	0.5	<LOQ	Pass
Mercury	0.004	0.05	3	ND	Pass

Date Tested: 02/04/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu ICP/MS. EVIO SOPT.30.070.CA, SOPT.40.060.CA




Ian Riversong
Lab Director
02/11/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

